

Tillers

ZLL



 **SICMA**®

ZLL


20 ▶ 40 HP



900 ▶ 1500


Max 160


Light

The ZLL model is a lightweight rotary tiller particularly suitable for cultivation in vegetable plantations and greenhouses. Available in seven working widths, it can

be equipped with tractors with a power of between 20 and 40 horsepower. The low weight and compactness of the body make it a handy and versatile machine.






Universal shaft size 4



CURVED HOE
Recommended for medium-textured and moist soils.



SQUARE HOE
Recommended for sandy soils.



OPTIONAL



Flexible clutch

In case of sudden absorption of power there are two discs that slide, thereby redistributing the forces.



Shear bolt

They adjust the working depth of the rotary tiller.

TECHNICAL DATA

Reducer speed:

540 rpm

240 rpm

Models and Features:

	HP	mm (in)	mm (in)	kg (lbs)	nr. 4	nr. 6	cat.
ZLL 90	20 ▶ 40	900 (35")	1300 (41")	139 (306)	16	24	1
ZLL 100	20 ▶ 40	1000 (39")	1130 (44")	149 (328)	20	30	1
ZLL 110	20 ▶ 40	1100 (43")	1230 (48")	159 (350)	20	30	1
ZLL 120	20 ▶ 40	1200 (47")	1330 (52")	173 (381)	24	36	1
ZLL 130	20 ▶ 40	1300 (51")	1430 (56")	179 (394)	24	36	1
ZLL 140	20 ▶ 40	1400 (55")	1530 (60")	189 (416)	28	42	1
ZLL 150	20 ▶ 40	1500 (59")	1630 (64")	193 (425)	28	42	1

SICMA S.p.a. reserves the right to carry out technical and structural modifications without prior notice.

*The experience that cultivates
the future of your land*

SICMA S.p.a. is an Italian company and a leader in the professional agricultural machinery sector. We design and create cutting-edge solutions for you, the farmer of tomorrow. Innovation and passion at your service.



MIGLIANICO | ABRUZZO | ITALY

Sicma SpA

Contrada Cerreto, 39
66010 Miglianico (CH)
Tel. +39 0871 95841

info@sicma.it - www.sicma.it

